




AMERICAN LIGHTING  
BRIGHT IDEAS • INNOVATIVE PRODUCTS

# PROFESSIONAL LED DECORATIVE LAMPS



# PROFESSIONAL LED DECORATIVE LAMPS

- Dimmable, energy saving retrofits
- SMD LED lamps for direct replacement of incandescent, candelabra, intermediate and medium base bulbs
- Multiple vivid colors available in a variety of lens styles
- IP65 rated for protection against moisture
- UL Listed for indoor and outdoor use
- Sold in boxes of 25
- 3 year warranty

 c/UL/us Listed



Suitable for outdoor use

120V 120 Volt




Dimmable





# C7



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E12 Base - 0.5W - 22mm**


PC7-E12-WH	WHITE (5500K), 18LM
PC7-E12-WW	WARM WHITE (2700K), 14LM
PC7-E12-UWW	ULTRA WARM WHITE (2400K), 12LM
PC7-E12-XWW	DELUXE WARM WHITE (1900K), 9LM

**Ceramic Lens - E12 Base - 0.5W - 22mm**

PC7F-E12-WH	WHITE (5500K), 18LM
PC7F-E12-WW	WARM WHITE (2700K), 14LM
PC7F-E12-BL	BLUE
PC7F-E12-GR	GREEN
PC7F-E12-RE	RED
PC7F-E12-YE	YELLOW



# CA10



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E12 Base - 1W - 32mm**

PCA10-E12-WH	WHITE (5500K), 36LM
PCA10-E12-WW	WARM WHITE (2700K), 25LM
PCA10-E12-UWW	ULTRA WARM WHITE (2400K), 21LM
PCA10-E12-XWW	DELUXE WARM WHITE (1900K), 15LM

**Ceramic Lens - E12 Base - 1W - 32mm**

PCA10F-E12-WH	WHITE (5500K), 45LM
PCA10F-E12-WW	WARM WHITE (2700K), 32LM





# G30



120V



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E12 Base - 0.5W - 30mm**

PG30-E12-WH	WHITE (5500K), 18LM
PG30-E12-WW	WARM WHITE (2700K), 14LM
PG30-E12-UWW	ULTRA WARM WHITE (2400K), 12LM
PG30-E12-XWW	DELUXE WARM WHITE (1900K), 9LM

**Ceramic Lens - E12 Base - 0.5W - 30mm**

PG30F-E12-WH	WHITE (5500K), 18LM
PG30F-E12-WW	WARM WHITE (2700K), 14LM
PG30F-E12-BL	BLUE
PG30F-E12-GR	GREEN
PG30F-E12-RE	RED
PG30F-E12-YE	YELLOW



# G40 E17



120V



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E17 Base - 1W - 40mm**


PG40-E17-WH	WHITE (5500K), 45LM
PG40-E17-WW	WARM WHITE (2700K), 32LM
PG40-E17-UWW	ULTRA WARM WHITE (2400K), 25LM
PG40-E17-XWW	DELUXE WARM WHITE (1900K), 20LM

**Ceramic Lens - E17 Base - 1W - 40mm**

PG40F-E17-WH	WHITE (5500K), 55LM
PG40F-E17-WW	WARM WHITE (2700K), 40LM
PG40F-E17-BL	BLUE
PG40F-E17-GR	GREEN
PG40F-E17-RE	RED
PG40F-E17-YE	YELLOW



# G40



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E26 Base - 1.2W - 40mm**


PG40-E26-WH	WHITE (5500K), 48LM
PG40-E26-WW	WARM WHITE (2700K), 36LM
PG40-E26-UWW	ULTRA WARM WHITE (2400K), 30LM
PG40-E26-XWW	DELUXE WARM WHITE (1900K), 22LM

**Ceramic Lens - E26 Base - 1.2W - 40mm**

PG40F-E26-WH	WHITE (5500K), 60LM
PG40F-E26-WW	WARM WHITE (2700K), 45LM
PG40F-E26-BL	BLUE
PG40F-E26-GR	GREEN
PG40F-E26-RE	RED
PG40F-E26-YE	YELLOW



# G45



PART NUMBER	COLOR
-------------	-------


**Clear Lens - E26 Base - 1.4W - 45mm**

PG45-E26-BL	BLUE
PG45-E26-GR	GREEN
PG45-E26-RE	RED
PG45-E26-YE	YELLOW





# G50



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E26 Base - 1.4W - 50mm**


PG50-E26-WH	WHITE (5500K), 48LM
PG50-E26-WW	WARM WHITE (2700K), 36LM
PG50-E26-UWW	ULTRA WARM WHITE (2400K), 30LM
PG50-E26-XWW	DELUXE WARM WHITE (1900K), 22LM

**Ceramic Lens - E26 Base - 1.4W - 50mm**

PG50F-E26-WH	WHITE (5500K), 60LM
PG50F-E26-WW	WARM WHITE (2700K), 45LM



# A15



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E26 Base - 1.4W - 48mm**


PA15-E26-WH	WHITE (5500K), 48LM
PA15-E26-WW	WARM WHITE (2700K), 36LM
PA15-E26-UWW	ULTRA WARM WHITE (2400K), 30LM
PA15-E26-XWW	DELUXE WARM WHITE (1900K), 22LM

**Ceramic Lens - E26 Base - 1.4W - 48mm**

PA15F-E26-WH	WHITE (5500K), 60LM
PA15F-E26-WW	WARM WHITE (2700K), 45LM



# S14



PART NUMBER	COLOR
-------------	-------

**Clear Lens - E26 Base - 1.4W - 45mm**

PS14-E26-WH	WHITE (5500K), 48LM
PS14-E26-WW	WARM WHITE (2700K), 36LM
PS14-E26-UWW	ULTRA WARM WHITE (2400K), 30LM
PS14-E26-XWW	DELUXE WARM WHITE (1900K), 22LM
PS14-E26-BL	BLUE
PS14-E26-GR	GREEN
PS14-E26-RE	RED
PS14-E26-YE	YELLOW

**Ceramic Lens - E26 Base - 1.4W - 45mm**

PS14F-E26-WH	WHITE (5500K), 60LM
PS14F-E26-WW	WARM WHITE (2700K), 45LM
PS14F-E26-BL	BLUE
PS14F-E26-GR	GREEN
PS14F-E26-RE	RED
PS14F-E26-YE	YELLOW



## TECHNICAL SPECIFICATIONS

<b>Voltage</b>	120V, 60Hz AC operation
<b>Construction</b>	Nickel base, clear or ceramic glass
<b>Wattage</b>	Varies depending on bulb, please refer to the specific bulb specifications
<b>Rated life</b>	25,000 hours (average life)
<b>Dimmable</b>	Dimmable with most CFL/LED and low voltage electronic dimmers (minimum loads may apply)
<b>Case Qty</b>	200 for CA10, G40s, G45, G50, S14 and A15; 500 per case for C7 and G30



AMERICAN LIGHTING  
BRIGHT IDEAS • INNOVATIVE PRODUCTS

1.800.880.1180 | [www.americanlighting.com](http://www.americanlighting.com)

