## PRODUCT SPECIFICATIONS / INFO





## MT830-R

**UPC Code:** 07847741957

Country of Origin: China

**Description**20 Amp, 125 Volt, NEMA 5-20R, 2P, 3W, Narrow Body Duplex Receptacle, Straight Blade, Hospital Grade, Self Grounding, Tamper-Resistant, Modular Terminals, Steel Strap, Lev-Lok - RED

**Product Features** 

Color: Red NEMA: 5-20R

Color: Red



**NEMA:** 5-20R




AC Horsepower Ratings		
Horsepower Rating	1 HP	
Environmental Specifications		
Flammability	Rated V-2 per UL94	
Operating Temperature	-40C to 60C	
Mechanical Specifications		
Product ID	Ratings are permanently marked on device	
Termination	Modular Terminals	

Electrical Specifications	
Amperage	20 Amp
Voltage	125 Volt
Pole	2
Wire	3
Grounding	Self Grounding
Dielectric Voltage	Withstands 2000V per UL498
Maximum Working Voltage	125V as rated
Current Interrupting	Certified for current interrupting at full rated current
Temperature Rise	Max 30C after 250 cycles OL at 200 percent rated current
Material Specifications	
Cover Material	Nylon
Base Material	Nylon
Mounting Strap	Galvanized Steel with


Material Specifications	
Cover Material	Nylon
Base Material	Nylon
Mounting Strap	Galvanized Steel with Riveted Ground Contacts
Ground Clips	Brass
Line Contacts	0.040" Thick Solid Brass
Locking Pins	Solid Brass
Bushing	Solid Brass
Mounting Screws	Triple Combination Head, Steel
Shutter Mechanism	Delrin® Acetal

Mounting Screws	Triple Combination Head, Steel
Shutter Mechanism	Delrin® Acetal
Standards and	Certifications
NEMA	WD-1 & WD-6
cULus	Listed
NOM Certified	057
ANSI	C-73
Warranty	10 Year Limited



Tamper-Resistant

# Wiring Diagram



5-20R

#### SPECIFICATION SUBMITTAL

	JOB NAME:	CATALOG NUMBERS:	
I			
	JOB NUMBER:		

#### Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747

Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

### Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 · FAX: 1-800-824-3005 · www.leviton.com/canada

#### Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

#### Visit our Website at: www.leviton.com

© 2007-2010 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

### Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

