

### LT825 - GIMBAL RING 38 LINE VOLTAGE TRACK FIXTURES




#### PROJECT INFORMATION

Type :

Project :

Catalog # :



#### FEATURE(S):



#### SPECIFICATION

120V 150W PAR38 MED E26

**Application:** The most popular style of all is the gimbal. With their low-profile design, these fixtures have minimal dimensions and best of all they won't cramp your budget. They are a perfect fit for highlighting artwork in a residence, items in a gallery or retail items in a store. These classic designs are traditionally styled favorites of line voltage lighting.

The **Front Loading** series is designed for quick and easy lamp replacement without the need to reposition the fixture after replacing the lamp.

**Connector:** Comes standard with 3-Wire H-Type thermo-plastic track connections. Fixture is factory preset for installation on single-circuit track. Contacts may be easily adjusted to install on two-circuit track via pull-up tab. J-Type and L-Type connections are available with extended lead times - consult factory.

**Aiming Mechanism:** High strength steel yoke with dual fasteners and friction washers to rigidly maintain aiming angle. Optional extensions.

**Socket:** Standard porcelain medium screw base socket with high temperature leads.

**Adjustability** Lamp can be tilted 90° degrees vertically and rotated 358° degrees horizontally.

**Finish:** High heat rated baked enamel Available in White, Black, Natural Metal and Copper Metal. Custom finishes available with extended lead times – consult factory.

**Label:** U.L. Listed

#### COMPATIBILITY

 <b>LP913</b> LINE VOLTAGE ROUND CANOPY	 <b>LP971</b> LINE VOLTAGE SQUARE CANOPY	 <b>PT57</b> PLUG-IN CLAMP ADAPTER
 <b>PT58</b> LINE VOLTAGE CLAMP ADAPTER	 <b>LP</b> 1 CCT TRACK CHANNEL	 <b>LPC</b> 2 CCT TRACK CHANNEL

Note: Wattage limitations on compatible items must be met.

#### ORDERING

ORDERING EXAMPLE : LT825W

LT825	FINISH
LT825	<b>W</b> :White
	<b>B</b> :Black
	<b>N</b> :Natural Metal
	<b>CO</b> :Copper Metal