

PRODUCT FOCUS **MICROMAX-SPIRAL**

Compact Fluorescent Lamp

- FOR** >> TABLE AND FLOOR LAMP
>> CEILING FIXTURES
>> WALL SCONCE



MLM23SH-L 2700K*
MLM23SH 2700K*

MLM20S & PD 2700K
MLM20S & PD 5000K
MLM20S & PD 4100K

MLM30S 2700K*
MLM30S 5000K

MLM25S & PD 2700K*
MLM25S & PD 5000K
MLM25S & PD 4100K

MLM42S 2700K
MLM42S 5000K
MLM42S 4100K

MLM30S & PD 2700K*
MLM30S & PD 5000K
MLM30S & PD 4100K



* ENERGY STAR® qualified

MAX6311

- Ultra mini size fits most fixtures
- Long life – lasts up to 10,000 hours
- Saves up to 75% in energy costs
- Instant-on, flicker-free electronics
- Available in Warm White, Cool White and Daylight

PRODUCT FOCUS MICROMAX-SPIRAL

Compact Fluorescent Lamp



MLM20SWW/SP★ 10,000 Hour (7) 6762741040 (6)*	MLM20SWW/TR★ 10,000 Hour (7) 6762741040 (6)*	MLM23SH-LWW/TR★ 12,000 Hour (7) 6762741029 (1)*	MLM25SWW/SP★ 10,000 Hour (7) 6762741060 (4)*	MLM30SWW/SP★ 10,000 Hour (7) 6762741030 (7)*	MLM30SWW★ 10,000 Hour (7) 6762741022 (2)*	MLM42SWW 8,000 Hour (7) 6762741023 (9)*
MLM20SDL/SP 10,000 Hour (7) 6762701423 (9)*	MLM20SWW★ 10,000 Hour (7) 6762701426 (0)*	MLM23SHWW/TR★ 12,000 Hour (7) 6762741017 (8)*	MLM25SWW/TR★ 10,000 Hour (7) 6762741060 (4)*	MLM30SDL/SP 10,000 Hour (7) 6762701463 (5)*	MLM30SDL 10,000 Hour (7) 6762711152 (1)*	MLM42SDL 8,000 Hour (7) 6762741026 (0)*
MLM20SDL 10,000 Hour (7) 6762711129 (7)*	MLM20SCW 10,000 Hour (7) 6762701427 (7)*		MLM25SDL/SP 10,000 Hour (7) 6762701453 (6)*		MLM30SCW 10,000 Hour (7) 6762701465 (9)*	MLM42SCW 8,000 Hour (7) 6762741021 (5)*
		MLM25SWW★ 10,000 Hour (7) 6762701456 (7)*	MLM25SDL 10,000 Hour (7) 6762711151 (8)*	MLM25SCW 10,000 Hour (7) 6762701457 (4)*		

MICROMAX SPECIFICATIONS

Watts	Order Code	Description	Incandescent Equivalent	Lumens	Lamp Life (Hrs)	Pack Type	Case Pack	Dimensions (W" x MOL")	K
★ 20	41040	MLM20SWW/SP Single Pack	75	1200	10,000	Card	24	2.4 x 4.9	2700
★ 20	90005	MLM20SWW/TR Tray Pack	75	1200	10,000	Card	72	2.4 x 4.9	2700
20	01423	MLM20SDL/SP Single Pack Daylight	75	1200	10,000	Card	12	2.4 x 4.9	5000
★ 20	01426	MLM20SWW Mini Spiral	75	1200	10,000	Box	48	2.4 x 4.9	2700
20	11129	MLM20SDL Mini Spiral Daylight	75	1200	10,000	Box	48	2.4 x 4.9	5000
20	01427	MLM20SCW Mini Spiral Cool White	75	1200	10,000	Box	48	2.4 x 4.9	4100
★ 23	41029	MLM23SH-LWW/TR High Lumen Tray Pack	100	1650	12,000	Card	72	2.4 x 5.2	2700
★ 23	41017	MLM23SHWW/TR HPF Tray Pack	100	1650	12,000	Card	72	2.4 x 5.2	2700
★ 25	41060	MLM25SWW/SP Single Pack	100	1800	10,000	Card	24	2.4 x 5.1	2700
★ 25	90007	MLM25SWW/TR Tray Pack	100	1800	10,000	Card	72	2.4 x 5.1	2700
25	01453	MLM25SDL/SP Single Pack Daylight	100	1800	10,000	Card	12	2.4 x 5.1	5000
★ 25	01456	MLM25SWW Mini Spiral	100	1800	10,000	Box	48	2.4 x 5.1	2700
25	11151	MLM25SDL Mini Spiral Daylight	100	1800	10,000	Box	48	2.4 x 5.1	5000
25	01457	MLM25SCW Mini Spiral Cool White	100	1800	10,000	Box	48	2.4 x 5.1	4100
★ 30	41030	MLM30SWW/SP Single Pack	100	1920	8,000	Card	12	2.4 x 5.6	2700
30	01463	MLM30SDL/SP Single Pack Daylight	120	1920	10,000	Card	12	2.4 x 5.6	5000
★ 30	41022	MLM30SWW Mini Spiral	100	1920	8,000	Box	48	2.4 x 5.6	2700
30	11152	MLM30SDL Mini Spiral Daylight	120	1920	10,000	Box	48	2.4 x 5.6	5000
30	01465	MLM30SCW Mini Spiral Cool White	120	1920	10,000	Box	48	2.4 x 5.6	4100
42	41023	MLM42SWW Mini Spiral	150	2600	8,000	Box	24	2.8 x 6.2	2700
42	41026	MLM42SDL Mini Spiral Daylight	150	2600	8,000	Box	24	2.8 x 6.2	5000
42	41021	MLM42SCW Mini Spiral Cool White	150	2600	8,000	Box	24	2.8 x 6.2	4100

MAX6311



FCC Certified

★ UPC Codes

★ ENERGY STAR® qualified

PRODUCT FOCUS MICROMAX-SPIRAL

Compact Fluorescent Lamp



MLM20SWWPD★ 10,000 Hour (7) 6762701421 (5)*	MLM25SWWPD★ 10,000 Hour (7) 6762701451 (2)*	MLM30SWWPD★ 8,000 Hour (7) 6762741020 (8)*
MLM20SDLPD 10,000 Hour (7) 6762701424 (6)*	MLM25SDLPD 10,000 Hour (7) 6762701454 (3)*	MLM30SDLPD 10,000 Hour (7) 6762701464 (2)*
MLM20SCWPD 10,000 Hour (7) 6762701422 (2)*	MLM25SCWPD 10,000 Hour (7) 6762701452 (9)*	MLM30SCWPD 10,000 Hour (7) 6762701462 (8)*

MICROMAX PERMA DISK SPECIFICATIONS

Watts	Order Code	Description	Incandescent Equivalent	Lumens	Lamp Life (Hrs)	Pack Type	Case Pack	Dimensions (W" x MOL")	K
★ 20	01421	MLM20SWWPD Mini Spiral with disk	75	1200	10,000	Box	48	2.4 x 4.9	2700
20	01424	MLM20SDLPD Mini Spiral with disk	75	1200	10,000	Box	48	2.4 x 4.9	5000
20	01422	MLM20SCWPD Mini Spiral with disk	75	1200	10,000	Box	48	2.4 x 4.9	4100
★ 25	01451	MLM25SWWPD Mini Spiral with disk	100	1800	10,000	Box	48	2.4 x 5.1	2700
25	01454	MLM25SDLPD Mini Spiral with disk	100	1800	10,000	Box	48	2.4 x 5.1	5000
25	01452	MLM25SCWPD Mini Spiral with disk	100	1800	10,000	Box	48	2.4 x 5.1	4100
★ 30	41020	MLM30SWWPD Mini Spiral with disk	100	1920	8,000	Box	48	2.4 x 5.6	2700
30	01464	MLM30SDLPD Mini Spiral with disk	120	1920	10,000	Box	48	2.4 x 5.6	5000
30	01462	MLM30SCWPD Mini Spiral with disk	120	1920	10,000	Box	48	2.4 x 5.6	4100

SPECIAL NOTES

- >> Do not use on circuits with dimmers, timers or other control devices
- >> Not for use in totally enclosed fixtures

APPLICATIONS

- Table and Floor lamp
- Ceiling fixture
- Wall sconce

LOCATIONS

- Residential
- Office
- Restaurant
- School/Hospital
- Retail
- Hotel/Motel

BENEFITS

- Ultra mini size fits most fixtures
- Long life – lasts up to 10,000 hours
- Saves Energy – up to 75% savings
- Instant-on, flicker-free electronics
- Available in Warm White, Cool White and Daylight

SPECIFICATIONS

- Ballast Type >> Electronic
- Starting Method >> Modified Rapid Start
- Input Line Voltage >> 120VAC
- Input Line Frequency >> 50/60HZ
- Mini. Starting Temp. >> 0°F
- Max. Operating Temp. >> 100°F
- Color Rendering Index >> 84

MAX6311



FCC Certified
★ UPC Codes
★ ENERGY STAR® qualified