


Replace traditional wallpacks with LED.
Same footprint. Better performance. Meet SLIM.



Medium and large SLIM wallpacks deliver high output, high efficiency light with a design that covers the footprint of most traditional wallpacks.



Before Upgrade
Traditional HID wallpack




During Upgrade
Wall stain left by HID wallpack



After Upgrade
SLIM completely hides the stain

Upgrading to LED is clean and simple.

Wallpacks often leave an unsightly wall stain behind during replacement.
Replace the old wallpack with the SLIM and you'll never know there was anything else there.




A perfect fit.

Medium and large SLIM wallpacks were designed to replace RAB HID wallpacks, both in size and footprint template, so upgrading to LED is easy and seamless.




Energy savings.

With up to 320W MH equivalency and 78 LPW, SLIM delivers the efficiency you want in LED.
Get further savings with energy rebates.



Cutoff or full-cutoff.


High wattage SLIM wallpacks with glare-reducing microprismatic diffusion lens are available in standard or full cutoff versions which meets dark-sky requirements.



Easy installation.

Hinged wiring access, bubble level for mounting and conduit entry from the back, sides and top make installation a snap.

The IP65 rated SLIM's external gasket and wall standoffs have been designed to create an airtight seal, keeping water out of the fixture.



Tight-lock gasket.

The unique design of the tight-lock gasket ensures no water or environmental elements will ever get inside the SLIM.


Bumper-to-bumper warranty.

100,000 hour LED lifespan.



Simple, comprehensive and valuable. Our warranty ensures that your investment is protected. We warranty light output, color stability, driver performance and paint finish put into simple terms that's easy to understand.

[See our full LED Warranty >>](#)



TM-21 calculations are in, and all now rated to last 100,000 hours. (with an average daily use of 1

Need Help?
Chat live with
our lighting specialists

Chat



SLIM Medium and Large Wallpacks

37, 57 and 62 Watt SLIM Wallpacks are designed to cover the footprint of most traditional wallpacks. They are suitable for mounting heights from 20' to 30', and replace HID wattages from 200W MH to 320W MH. These ultra-high efficiency fixtures are available in cutoff or full cutoff models.

Product	Finish	Watts	Photocell	Color Temp	Lumens	CRI	L70 Lifespan	Cutoff T
SLIM37	Bronze	37	No Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37N	Bronze	37	No Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37Y	Bronze	37	No Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIM37W	White	37	No Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37NW	White	37	No Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37YW	White	37	No Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIMFC37	Bronze	37	No Photocell	5000K (Cool)	2,480	75	100,000	Full Cuto
SLIMFC37N	Bronze	37	No Photocell	4000K (Neutral)	2,413	82	100,000	Full Cuto
SLIMFC37Y	Bronze	37	No Photocell	3000K (Warm)	2,270	82	100,000	Full Cuto
SLIMFC37W	White	37	No Photocell	5000K (Cool)	2,480	75	100,000	Full Cuto
SLIMFC37NW	White	37	No Photocell	4000K (Neutral)	2,413	82	100,000	Full Cuto
SLIMFC37YW	White	37	No Photocell	3000K (Warm)	2,270	82	100,000	Full Cuto
SLIM37/PC	Bronze	37	120V Button Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37N/PC	Bronze	37	120V Button Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37Y/PC	Bronze	37	120V Button Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIM37W/PC	White	37	120V Button Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37NW/PC	White	37	120V Button Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37YW/PC	White	37	120V Button Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIMFC37/PC	Bronze	37	120V Button Photocell	5000K (Cool)	2,480	75	100,000	Full Cuto
SLIMFC37N/PC	Bronze	37	120V Button Photocell	4000K (Neutral)	2,413	82	100,000	Full Cuto
SLIMFC37Y/PC	Bronze	37	120V Button Photocell	3000K (Warm)	2,270	82	100,000	Full Cuto
SLIMFC37W/PC	White	37	120V Button Photocell	5000K (Cool)	2,480	75	100,000	Full Cuto
SLIMFC37NW/PC	White	37	120V Button Photocell	4000K (Neutral)	2,413	82	100,000	Full Cuto
SLIMFC37YW/PC	White	37	120V Button Photocell	3000K (Warm)	2,270	82	100,000	Full Cuto

SLIM37/PC2	Bronze	37	277V Button Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37N/PC2	Bronze	37	277V Button Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37Y/PC2	Bronze	37	277V Button Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIM37W/PC2	White	37	277V Button Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37NW/PC2	White	37	277V Button Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37YW/PC2	White	37	277V Button Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIMFC37/PC2	Bronze	37	277V Button Photocell	5000K (Cool)	2,480	75	100,000	Full Cutoff
SLIMFC37N/PC2	Bronze	37	277V Button Photocell	4000K (Neutral)	2,413	82	100,000	Full Cutoff
SLIMFC37Y/PC2	Bronze	37	277V Button Photocell	3000K (Warm)	2,270	82	100,000	Full Cutoff
SLIMFC37W/PC2	White	37	277V Button Photocell	5000K (Cool)	2,480	75	100,000	Full Cutoff
SLIMFC37NW/PC2	White	37	277V Button Photocell	4000K (Neutral)	2,413	82	100,000	Full Cutoff
SLIMFC37YW/PC2	White	37	277V Button Photocell	3000K (Warm)	2,270	82	100,000	Full Cutoff
SLIM37/PCS	Bronze	37	120V Swivel Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37N/PCS	Bronze	37	120V Swivel Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37Y/PCS	Bronze	37	120V Swivel Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIM37W/PCS	White	37	120V Swivel Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37NW/PCS	White	37	120V Swivel Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37YW/PCS	White	37	120V Swivel Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIMFC37/PCS	Bronze	37	120V Swivel Photocell	5000K (Cool)	2,480	75	100,000	Full Cutoff
SLIMFC37N/PCS	Bronze	37	120V Swivel Photocell	4000K (Neutral)	2,413	82	100,000	Full Cutoff
SLIMFC37Y/PCS	Bronze	37	120V Swivel Photocell	3000K (Warm)	2,270	82	100,000	Full Cutoff
SLIMFC37W/PCS	White	37	120V Swivel Photocell	5000K (Cool)	2,480	75	100,000	Full Cutoff
SLIMFC37NW/PCS	White	37	120V Swivel Photocell	4000K (Neutral)	2,413	82	100,000	Full Cutoff
SLIMFC37YW/PCS	White	37	120V Swivel Photocell	3000K (Warm)	2,270	82	100,000	Full Cutoff
SLIM37/PCS2	Bronze	37	277V Swivel Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37N/PCS2	Bronze	37	277V Swivel Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff

SLIM37Y/PCS2	Bronze	37	277V Swivel Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIM37W/PCS2	White	37	277V Swivel Photocell	5000K (Cool)	2,688	75	100,000	Cutoff
SLIM37NW/PCS2	White	37	277V Swivel Photocell	4000K (Neutral)	2,587	82	100,000	Cutoff
SLIM37YW/PCS2	White	37	277V Swivel Photocell	3000K (Warm)	2,448	82	100,000	Cutoff
SLIMFC37/PCS2	Bronze	37	277V Swivel Photocell	5000K (Cool)	2,480	75	100,000	Full Cutoff
SLIMFC37N/PCS2	Bronze	37	277V Swivel Photocell	4000K (Neutral)	2,413	82	100,000	Full Cutoff
SLIMFC37Y/PCS2	Bronze	37	277V Swivel Photocell	3000K (Warm)	2,270	82	100,000	Full Cutoff
SLIMFC37W/PCS2	White	37	277V Swivel Photocell	5000K (Cool)	2,480	75	100,000	Full Cutoff
SLIMFC37NW/PCS2	White	37	277V Swivel Photocell	4000K (Neutral)	2,413	82	100,000	Full Cutoff
SLIMFC37YW/PCS2	White	37	277V Swivel Photocell	3000K (Warm)	2,270	82	100,000	Full Cutoff
SLIM57	Bronze	57	No Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57N	Bronze	57	No Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57Y	Bronze	57	No Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIM57W	White	57	No Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57NW	White	57	No Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57YW	White	57	No Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIMFC57	Bronze	57	No Photocell	5000K (Cool)	4,096	75	100,000	Full Cutoff
SLIMFC57N	Bronze	57	No Photocell	4000K (Neutral)	3,339	82	100,000	Full Cutoff
SLIMFC57Y	Bronze	57	No Photocell	3000K (Warm)	3,186	81	100,000	Full Cutoff
SLIMFC57W	White	57	No Photocell	5000K (Cool)	4,096	75	100,000	Full Cutoff
SLIMFC57NW	White	57	No Photocell	4000K (Neutral)	3,339	82	100,000	Full Cutoff
SLIMFC57YW	White	57	No Photocell	3000K (Warm)	3,186	81	100,000	Full Cutoff
SLIM57/PC	Bronze	57	120V Button Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57N/PC	Bronze	57	120V Button Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57Y/PC	Bronze	57	120V Button Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIM57W/PC	White	57	120V Button Photocell	5000K (Cool)	4,262	75	100,000	Cutoff

SLIM57NW/PC	White	57	120V Button Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57YW/PC	White	57	120V Button Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIMFC57/PC	Bronze	57	120V Button Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57N/PC	Bronze	57	120V Button Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57Y/PC	Bronze	57	120V Button Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIMFC57W/PC	White	57	120V Button Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57NW/PC	White	57	120V Button Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57YW/PC	White	57	120V Button Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIM57/PC2	Bronze	57	277V Button Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57N/PC2	Bronze	57	277V Button Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57Y/PC2	Bronze	57	277V Button Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIM57W/PC2	White	57	277V Button Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57NW/PC2	White	57	277V Button Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57YW/PC2	White	57	277V Button Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIMFC57/PC2	Bronze	57	277V Button Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57N/PC2	Bronze	57	277V Button Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57Y/PC2	Bronze	57	277V Button Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIMFC57W/PC2	White	57	277V Button Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57NW/PC2	White	57	277V Button Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57YW/PC2	White	57	277V Button Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIM57/PCS	Bronze	57	120V Swivel Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57N/PCS	Bronze	57	120V Swivel Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57Y/PCS	Bronze	57	120V Swivel Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIM57W/PCS	White	57	120V Swivel Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57NW/PCS	White	57	120V Swivel Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57YW/PCS	White	57	120V Swivel Photocell	3000K (Warm)	3,496	81	100,000	Cutoff

SLIMFC57/PCS	Bronze	57	120V Swivel Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57N/PCS	Bronze	57	120V Swivel Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57Y/PCS	Bronze	57	120V Swivel Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIMFC57W/PCS	White	57	120V Swivel Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57NW/PCS	White	57	120V Swivel Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57YW/PCS	White	57	120V Swivel Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIM57/PCS2	Bronze	57	277V Swivel Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57N/PCS2	Bronze	57	277V Swivel Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57Y/PCS2	Bronze	57	277V Swivel Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIM57W/PCS2	White	57	277V Swivel Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57NW/PCS2	White	57	277V Swivel Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57YW/PCS2	White	57	277V Swivel Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIMFC57/PCS2	Bronze	57	277V Swivel Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57N/PCS2	Bronze	57	277V Swivel Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57Y/PCS2	Bronze	57	277V Swivel Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIMFC57W/PCS2	White	57	No Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57NW/PCS2	White	57	277V Swivel Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto
SLIMFC57YW/PCS2	White	57	277V Swivel Photocell	3000K (Warm)	3,186	81	100,000	Full Cuto
SLIM57/BL	Bronze	57	No Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57N/BL	Bronze	57	No Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57Y/BL	Bronze	57	No Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIM57W/BL	White	57	No Photocell	5000K (Cool)	4,262	75	100,000	Cutoff
SLIM57NW/BL	White	57	No Photocell	4000K (Neutral)	3,674	82	100,000	Cutoff
SLIM57YW/BL	White	57	No Photocell	3000K (Warm)	3,496	81	100,000	Cutoff
SLIMFC57/BL	Bronze	57	No Photocell	5000K (Cool)	4,096	75	100,000	Full Cuto
SLIMFC57N/BL	Bronze	57	No Photocell	4000K (Neutral)	3,339	82	100,000	Full Cuto

SLIMFC57Y/BL	Bronze	57	No Photocell	3000K (Warm)	3,186	81	100,000	Full Cut
SLIMFC57W/BL	White	57	No Photocell	5000K (Cool)	4,096	75	100,000	Full Cut
SLIMFC57NW/BL	White	57	No Photocell	4000K (Neutral)	3,339	82	100,000	Full Cut
SLIMFC57YW/BL	White	57	No Photocell	3000K (Warm)	3,186	81	100,000	Full Cut
SLIM62	Bronze	62	No Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62N	Bronze	62	No Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62Y	Bronze	62	No Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIM62W	White	62	No Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62NW	White	62	No Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62YW	White	62	No Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIMFC62	Bronze	62	No Photocell	5000K (Cool)	4,444	74	100,000	Full Cut
SLIMFC62N	Bronze	62	No Photocell	4000K (Neutral)	4,103	82	100,000	Full Cut
SLIMFC62Y	Bronze	62	No Photocell	3000K (Warm)	3,881	82	100,000	Full Cut
SLIMFC62W	White	62	No Photocell	5000K (Cool)	4,444	74	100,000	Full Cut
SLIMFC62NW	White	62	No Photocell	4000K (Neutral)	4,103	82	100,000	Full Cut
SLIMFC62YW	White	62	No Photocell	3000K (Warm)	3,881	82	100,000	Full Cut
SLIM62/PC	Bronze	62	277V Button Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62N/PC	Bronze	62	120V Button Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62Y/PC	Bronze	62	120V Button Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIM62W/PC	White	62	277V Button Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62NW/PC	White	62	120V Button Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62YW/PC	White	62	120V Button Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIMFC62/PC	Bronze	62	277V Button Photocell	5000K (Cool)	4,444	74	100,000	Full Cut
SLIMFC62N/PC	Bronze	62	120V Button Photocell	4000K (Neutral)	4,103	82	100,000	Full Cut
SLIMFC62Y/PC	Bronze	62	120V Button Photocell	3000K (Warm)	3,881	82	100,000	Full Cut
SLIMFC62W/PC	White	62	277V Button Photocell	5000K (Cool)	4,444	74	100,000	Full Cut

SLIMFC62NW/PC	White	62	120V Button Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62YW/PC	White	62	120V Button Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff
SLIM62/PC2	Bronze	62	277V Button Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62N/PC2	Bronze	62	277V Button Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62Y/PC2	Bronze	62	277V Button Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIM62W/PC2	White	62	277V Button Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62NW/PC2	White	62	277V Button Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62YW/PC2	White	62	277V Button Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIMFC62/PC2	Bronze	62	277V Button Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62N/PC2	Bronze	62	277V Button Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62Y/PC2	Bronze	62	277V Button Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff
SLIMFC62W/PC2	White	62	277V Button Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62NW/PC2	White	62	277V Button Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62YW/PC2	White	62	277V Button Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff
SLIM62/PCS	Bronze	62	120V Swivel Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62N/PCS	Bronze	62	120V Swivel Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62Y/PCS	Bronze	62	120V Swivel Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIM62W/PCS	White	62	120V Swivel Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62NW/PCS	White	62	120V Swivel Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62YW/PCS	White	62	120V Swivel Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIMFC62/PCS	Bronze	62	120V Swivel Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62N/PCS	Bronze	62	120V Swivel Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62Y/PCS	Bronze	62	120V Swivel Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff
SLIMFC62W/PCS	White	62	120V Swivel Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62NW/PCS	White	62	120V Swivel Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62YW/PCS	White	62	120V Swivel Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff

SLIM62/PCS2	Bronze	62	277V Swivel Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62N/PCS2	Bronze	62	277V Swivel Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62Y/PCS2	Bronze	62	277V Swivel Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIM62W/PCS2	White	62	277V Swivel Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62NW/PCS2	White	62	277V Swivel Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62YW/PCS2	White	62	277V Swivel Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIMFC62/PCS2	Bronze	62	277V Swivel Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62N/PCS2	Bronze	62	277V Swivel Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62Y/PCS2	Bronze	62	277V Swivel Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff
SLIMFC62W/PCS2	White	62	277V Swivel Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62NW/PCS2	White	62	277V Swivel Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62YW/PCS2	White	62	277V Swivel Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff
SLIM62/BL	Bronze	62	No Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62N/BL	Bronze	62	No Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62Y/BL	Bronze	62	No Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIM62W/BL	White	62	No Photocell	5000K (Cool)	4,775	74	100,000	Cutoff
SLIM62NW/BL	White	62	No Photocell	4000K (Neutral)	4,402	82	100,000	Cutoff
SLIM62YW/BL	White	62	No Photocell	3000K (Warm)	4,168	81	100,000	Cutoff
SLIMFC62/BL	Bronze	62	No Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62N/BL	Bronze	62	No Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62Y/BL	Bronze	62	No Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff
SLIMFC62W/BL	White	62	No Photocell	5000K (Cool)	4,444	74	100,000	Full Cutoff
SLIMFC62NW/BL	White	62	No Photocell	4000K (Neutral)	4,103	82	100,000	Full Cutoff
SLIMFC62YW/BL	White	62	No Photocell	3000K (Warm)	3,881	82	100,000	Full Cutoff

